













## Technical Data

# Tamper Proof Self-Tapping Screws

METRIC Series Tamper Proof Screws for Sheet Metal Applications

### Head Dimensions & Recess Sizes

		PROTECTOR 4 - PIN T-DRIVE®											
GAUGE	METRIC REF	 			 			 			 		
		DIN 7981 SIMILAR STEEL ZINC PLATED			DIN 7982 SIMILAR STEEL ZINC PLATED			DIN 7981 SIMILAR A2 STAINLESS STEEL			DIN 7982 SIMILAR A2 STAINLESS STEEL		
		DIA MAX	DEPTH MAX	RECESS SIZE	DIA MAX	DEPTH REF	RECESS SIZE	DIA MAX	DEPTH MAX	RECESS SIZE	DIA MAX	DEPTH REF	RECESS SIZE
2	2.2	4.20	1.80	T8	4.30	1.30	-	-	-	-	-	-	
4	2.9	5.60	2.20	T10	5.50	1.70	T8	-	-	-	-	-	
6	3.5	6.90	2.60	T15	6.80	2.10	T10	6.70	1.90	T10	7.80	3.30	T15
7	3.9	7.50	2.80	T15	7.50	2.30	T15	-	-	-	-	-	
8	4.2	8.20	3.05	T20	8.10	2.50	T20	7.90	2.20	T15	9.10	3.80	T20
10	4.8	9.50	3.55	T25	9.50	3.00	T25	9.20	2.60	T25	10.50	4.30	T25
12	5.5	10.80	3.95	T27	10.80	3.40	T25	10.50	2.90	T27	11.10	4.40	T30
14	6.3	12.50	4.55	T30	12.40	3.80	T30	11.10	3.40	T27	13.50	5.10	T30

		PROTECTOR 7 - PIN HEXAGON					
GAUGE	METRIC REF	 			 		
		DIN 7981 SIMILAR			DIN 7982 SIMILAR		
		DIA MAX	DEPTH MAX	RECESS SIZE	DIA MAX	DEPTH REF	RECESS SIZE
6	3.5	6.70	1.90	2mm	7.80	2.50	2mm
8	4.2	7.90	2.20	2.5mm	9.10	2.80	2.5mm
10	4.8	9.20	2.50	3mm	10.40	3.20	3mm
12	5.5	10.50	2.90	4mm	11.10	3.40	4mm
14	6.3	11.10	3.40	4mm	13.50	4.10	4mm

T-Drive® is a registered trade mark of Lancaster Fastener Co Ltd.

E. & O. E.

© 2021, Lancaster Fastener Co Ltd.